



LET	DATE	E.C.N.	REVISION RECORD	
	8/10	E-331	PRODUCTION RELEASE	1
A	12/10	E-331	REV. FURN. LDC. W/WHEEL FLARE CHANGE	2
B	2/11	E-331	REV. RANGE VENT LDC.	3
C	10/11	T-03000	REV. RANGE VENT LDC. WAS 85.13	4
D	5/12	T-03122	REV. REFER DOOR HEIGHT 19.00 WAS 19.50	5




NOTE:
ELEVATION DIMENSIONS ARE
FROM TOP OF FLOOR



SEE SIDEWALL AND ROOF DRAWINGS
FOR RIB LOCATIONS:

- FLOOR CUT-OUT - 967624
- ROOF ASS'Y - 967628
- R.S. WALL ASS'Y - 967633
- C.S. WALL ASS'Y - 967629
- END SHELL ASSY-FRONT - 921240-01
- END SHELL ASSY - REAR - 923059

ITEM	PART NUMBER	DESCRIPTION	QTY
TOLERANCES ±	Airstream		DRAWN BY JD
NEXT ASS'Y			APPROVED
		PRODUCT LINE	25FB EDDIE BAUER
TITLE			
ASSEMBLY, SHELL			
SCALE 1=16	DATE 8/31/10	DRAWING NUMBER 923058S	D RE


[illegible]

SEE SIDEWALL AND ROOF DRAWINGS
FOR RIB LOCATIONS:

FLOOR CUT-OUT	-	967624
ROOF ASS'Y	-	967628
R.S. WALL ASS'Y	-	967633
C.S. WALL ASS'Y	-	967629
END SHELL ASSY-FRONT	-	921240-01

ITEM	PART NUMBER	DESCRIPTION
TOLERANCES ±	Airstream	PRODUCT LINE 25FB EDDIE BAUER
NEXT ASSY		
TITLE	ASSEMBLY, SHELL	

LET	DATE	E.C.N.	REVISION RECORD	BY
	9/10	E-331	PRODUCTION RELEASE	JD





NOTES:

1. DBL STICK TAPE TO BE APPLIED TO THE EXTERIOR SIDE OF ALL RIBS AND HORIZONTAL MEMBERS
2. ALL HORIZONTAL MEMBERS TO BE ATTACHED TO RIBS USING ANGLES, ITEM #9, SEE DETAIL G
3. BUCK RIVETS TO BE USED ALONG BELT-LINE AND FLOOR LINE
4. BUCK RIVETS TO BE USED ALONG EACH RIB OF 51" SHEET ONLY, SPACED AT 8.00 APART
5. NO BUCK RIVETS TO BE USED ALONG RIBS OF 33" SHEET
6. PDP RIVETS TO BE USED TO SECURE TOP OF 51" SHEET
7. ALL ELEV. DIMENSIONS ARE FROM FLOOR
8. ITEM #5 TO BE TAPED FLUSH WITH ALL HORIZONTAL EDGES OF WINDOW CUTOUTS
9. Z-RIB MATERIAL TO BE TAPED FLUSH WITH ALL VERTICLE EDGES OF WINDOW CUTOUTS





13	330127-03	RIVET 1/8 IN (MILL) AD43ABS	100	EA
12	330126-03	PDP RIVET SSD44SSBS	75	EA
11	325000-01	RIVET, ANODIZED CLEAR 1/8 X 1/4	350	EA
10	365222	TAPE DOUBLE COATED .08X.75	115	FT
9	114414	ANGLE FORMED 1 X 1 X 1.5	18	EA
8	114415	C-CHANNEL FORMED	6	EA
7	100986	EXTR, FLOOR	22.2	FT
6	104707	EXTRUSION SECTION "I" - 6063-T4	16.27	FT
5	100034	Z-BAR HORIZ FRAME MEMBER ALUM 48"	2.5	EA
4	114387-02	BOW RIB-Z L.H.	5	EA
3	114387-01	BOW Z-RIB R.H.	2	EA
2	114880-201	ALUM SHEET .040" X 51"X201"	70.13	SF
1	114879-201	ALUM SHEET .040 X 33W X 201"	45.38	SF

ITEM	PART NUMBER	DESCRIPTION	QTY	UM
TOLERANCES ±		DRAWN BY JD		
NEXT ASS'Y		APPROVED BY		
TITLE		Airstream		
SCALE		PRODUCT LINE 25FB EDDIE BAUER		
DATE		TITLE ASSEMBLY - CS WALL		
DRAWING NUMBER		SCALE 1=16		
REV.		DATE 10/26/10		
D		DRAWING NUMBER 967629		

LET	DATE	E.C.N.	REVISION RECORD	BY
	9/10	E-331	PRODUCTION RELEASE	JD
A	5/12	T-03122	REVISED HEIGHT 10.50 WAS 11.00	KP
B	9/14	T-3648	MOVED RIB 1" REARWARD	JD




- NOTES:
1. DBL STICK TAPE TO BE APPLIED TO THE EXTERIOR SIDE OF ALL RIBS AND HORIZONTAL MEMBERS
 2. ALL HORIZONTAL MEMBERS TO BE ATTACHED TO RIBS USING ANGLES, ITEM #9, SEE DETAIL G
 3. BUCK RIVETS TO BE USED ALONG BELT-LINE AND FLOOR LINE
 4. BUCK RIVETS TO BE USED ALONG EACH RIB OF 51" SHEET ONLY, SPACED AT 8.00 APART
 5. NO BUCK RIVETS TO BE USED ALONG RIBS OF 33" SHEET
 6. PDP RIVETS TO BE USED TO SECURE TOP OF 51" SHEET
 7. ALL ELEV. DIMENSIONS ARE FROM FLOOR
 8. ITEM #5 TO BE TAPED FLUSH WITH ALL HORIZONTAL EDGES OF WINDOW CUTOUTS
 9. Z-RIB MATERIAL TO BE TAPED FLUSH WITH ALL VERTICLE EDGES OF WINDOW CUTOUTS
 10. EGRESS WINDOW 371380-01 W/EMERGENCY EXIT OPENING (RED HANDLES). SCREEN-372215-03.
 11. ADD ITEM 14 Z BAR ABOVE AND BELOW VISTA VIEW WINDOWS ATTACH TO RIB WITH ITEM 114414



14	115509	Z BAR-VISTA WINDOW TRIM SUPPORT	4	EA
13	330127-03	RIVET 1/8 IN (MILL) AD43ABS	100	EA
12	330126-03	PDP RIVET SSD44SSBS	75	EA
11	325000-01	RIVET,ANDDIZED CLEAR 1/8 X 1/4	350	EA
10	365222	TAPE DOUBLE COATED .08X.75	115	FT
9	114414	ANGLE FORMED 1 X 1 X 1.5	26	EA
8	114415	C-CHANNEL FORMED	6	EA
7	100986	EXTR, FLOOR	22.2	FT
6	104707	EXTRUSION SECTION "I" - 6063-T4	16.27	FT
5	100034	Z-BAR HORIZ FRAME MEMBER ALUM 48"	2.5	EA
3	114387-01	BOW Z-RIB R.H.	5	EA
2	114880-201	ALUM SHEET .040" X 51"X201"	70.13	SF
1	114879-201	ALUM SHEET .040 X 33W X 201"	45.38	SF

ITEM	PART NUMBER	DESCRIPTION	QTY	UM
TOLERANCES ±		DRAWN BY JD		
NEXT ASS'Y		APPROVED BY		
TITLE		ASSEMBLY - RS WALL		
SCALE 1=16	DATE 9/1/10	DRAWING NUMBER 967633	D	REV. B

LET	DATE	E.C.N.	REVISION RECORD	BY
	11/10	E-00331	PRODUCTION RELEASE	JD
A	1/11	E-00331	REV. LIGHT LOC. @ STAI10 & 135 TO RS	JD
B	2/11	E-00331	REV. RAM-AIR VENT LOC. & ORIENTATION	JD
C	3/11	E-00331	ADDED Z BAR (S# START 525769)	KP
D	4/11	T-02899	REV BATH VENT FROM 19.50 TO 20.00	KP
E	8/11	T-02924	ADDED 13 TO A/C & VENT SUPPORT; UPDATED BOM	KP
F	11/11	T-02924	REV ITEM 4, 6, 10, 12, & ADDED 17 & VIEW F-F	KP
G	10/13	T-03252	MOVE ANTENNA TO AVOID PUNCHED WIRE ROUTING	BS
H	12/13	E-000528	MOVE ROOF RIB TO 185.00/VENT CUTOUT TO 176.5	BCS



OBSOLETE


ECA No.: E-00534

Name: NB


Date: 7/14

Replaced By: 923200

Disposition: *




- NOTES:
1. ROOF SHOWN FROM INTERIOR SIDE
 2. DBL STICK TAPE TO BE APPLIED TO THE EXTERIOR SIDE OF ALL RIBS AND HORIZONTAL MEMBERS
 3. RIVETS ALONG SEAMS TO BE SPACED 1.38 APART ALL OTHER RIVETS 4.00 TO 6.00 APART
 4. HUCK FASTENERS TO BE SPACED 8.00 APART
 5. VERTICAL DIMENSIONS ARE FROM CENTER-LINE OF ROOF




	17	325001-03	RIVET 1/8X5/16 P. WHITE	200	EA		
(E)	16	365334	TAPE-SEALFOAM 7#W/PSA ONE SIDE	32.60	FT		
(E)	15	365300	TAPE-SIKA 95 .09"X.5" #136173	16.50	FT		
(E)	14	365001	TAPE DOUBLE COATED FOAM	72.00	FT		
(E)	13	114414	ANGLE FORMED 1 X 1 X 1.5	40	EA		
(E)	12	101828	EXTRUSION, ALUM WINDOW STIFFEN	12.55	FT		
(E)	11	330139-01	RIVET MAGNALOK SS 1/4"GR.080-	50	EA		
(F)	10	325003-03	RIVET, 1/8 X 7/16 WHITE	290	EA		
	9	114290-01	EXTRUSION,AWNING/D RIP RAIL-A/S	32.60	FT		
(E)	8	365222	TAPE DOUBLE COATED .08X.75	39.70	FT		
	7	330127-03	RIVET 1/8 IN (MILL) AD43ABS	109	EA		
(E)	6	325002-03	RIVET 1/8 X 3/8 P.WHITE	170	EA		
	5	114987-01	EXTRUSION - ROOF CORNER	28.54	FT		
(F)	4	104408	EXTR.,Z RIB DIE NO. 240572	32.8	FT		
	3	114668	BOW ROOF "1"	7	EA		
	2	114669-307	ALUM SHEET .032 X 12.69 X 307"	17.5	SF		
	1	114489-198	ALUMINUM .032X60X198 WHITE	82.2	SF		
ITEM		PART NUMBER		DESCRIPTION		QTY	UM
TOLERANCES ±		Airstream				DRAWN BY JD	
NEXT ASS'Y						APPROVED BY	
		PRODUCT LINE 25FB EDDIE BAUER					
TITLE ASSEMBLY - ROOF							
SCALE 1=16		DATE 11/23/10		DRAWING NUMBER 967628		D	REV. H

LET	DATE	E.C.N.	REVISION RECORD
	8/10	E-331	PRODUCTION RELEASE
A	2/11	E-331	REV. WW CUT OUT FWD 1/4"
B	3/11	E-00367	REV. HOLE "M" 139.50 WAS 140.75
C	12/12	T-03330	ADDED HOLE "T"




LETTER	HOLE SIZE	DESCRIPTION
A	2.00 DIA	GROUND WIRE/7-WAY PLUG
B	0.75 x 31.00	ENTRANCE DOOR
C	13.13 x 67.00	WHEEL WELL (2)
D	3.00 DIA.	WATER LINE
E	6.50 x 10.00	WATER LINE/WATER FILL
F	4.00 x 6.00	CROSSCAR WIRE CHANNEL
G	2.00 DIA	POWER CENTER/CHASSIS GROUND
H	4.00 DIA	GRAY TANK INLET - SHOWER
J	3.00 DIA	GRAY TANK INLET - GALLEY/LAVY
K	8.00 x 12.00	SHOWER P-TRAP
L	3.00 DIA	BLACK TANK VENT
M	5.00 DIA	BLACK TANK OPENING
N	2.00 DIA	BLK/GRAY TANK HEAT DUCT
P	2.00 DIA	OPTIONAL TANK FLUSH HOLE
R	0.50 DIA	GROUND WIRE
S	2.00 DIA	FRESH TANK TANK HEAT DUCT
T	0.38 DIA	SEWER LIGHT


2	345073-21	1/4-20 X 3 SCREW WAFERHEAD(FLOOR)		64
1	800976-01	PLYWOOD TONGUE&GROOVE 19/32		196.00
ITEM	PART NUMBER	DESCRIPTION		QTY
TOLERANCES ±	Airstream			DRAWN BY JD
NEXT ASS'Y				APPROVED
PRODUCT LINE		25FB EDDIE BAUER		
TITLE				
FLOOR ASSEMBLY - 25FB EDDIE BAUER				
SCALE 1=16	DATE 8/30/10	DRAWING NUMBER 967624		D RE



DETAIL C-C




DETAIL C-C

SECTION A-A
FULL SIZE2.00 TYPICAL
RIVET SPACING ON
END SHELL AT
FLOOR LINE.2.75
BOTTOM OF
CUTOUT
2.88

ANCHOR ITEM 30 TO FLOOR & CHASSIS DURING SHELL
ATTACHMENT.
RIVET ITEM 30 TWO PLACES USING STAINLESS STEEL
POP RIVETS 1/2" FROM INSIDE CORNER OF ANGLE.

NOTE:
INSTALL ITEM #39 ON STANDARD BUILD AND -02
BUILD AGAINST THE OUTSIDE OF THE RIB FOR
ATTACHMENT OF THE ROCK GUARD PROP ROD BRACKET.

SECTION B-B
FULL SIZE

LET	DATE	E.C.N.	REVISION RECORD	BY
	3/06	E00043	PRODUCTION RELEASE	EK
A	6/06	E-00060	ADDED ITEM 34 TO -01 OPTION	KM
B	9/06	E-00097	ADDED TRUNK DOOR FOR TWIN "A" OPT	EK
C	9/07	E-00196	REV. CLEARANCE LT. SPACING (WAS 16")	DKM
C	9/07	E-00196	ALIGNED CLEARANCE AND MARKER LTS.	DKM
D	6/08	T-02141	REV. 35 WAS 922711 & ADDED 36, 14.25 WAS 15.25	KP
E	1/12	T-03006	REV. CLEAR LIGHT LOC. & ADDED 37, 38, & 39	KP
F	9/12	E-00466	REL -02 30 BUNK/ADD 18 DETAILS	DW
G	11/12	E-00466	DEL 19/ADD 39 TO STD & 02 BUILD	DW
H	02/15	E-00562	RELOCATED MARKER LIGHTS	DB

RIVET ITEM 33 TO Z-RIB 1" DOWN
FROM TOP OF Z-RIB

34	365300	TAPE-SIKALATOMER 95 SEALANT	100 FT
OPT	100029	TRIM, WRAP AROUND WINDOW	2 EA
OPT	372089	WINDOW, REAR CORNER WRAP RS SOLAR	1 EA
OPT	372088	WINDOW, REAR CORNER WRAP CS SOLAR	1 EA
OPT	371346-02	WINDOW 48.9" FLAT FNT/RR	1 EA

ADD

22	365016	TAPE,FOAM-SCOTCHMOUNT-1/2 #4416	80 FT
9	371348-03	WINDOW-FRONT W/SILVER HANDLES	1 EA

DELETE






921240-01 OPT. FRONT WRAP WINDOW

*NOTE: ITEM 37A CAN BE ANY
.032 OR .040 SCRAP
ALUM. MATERIAL


* *	40	512859	LIGHT-CLEARANCE AMBER #L14-009	4 EA
* *	39	454910	SUPPORT - WRAP WINDOW TRL	2 EA
* *	38	325129	RIVET, BR HEAD, ANODIZED 1/8" DIA.	8 EA
* *	37A		30.00 X 43.00	1 EA
* *	37	114489-262	ALUM. SHEET .032 X 60 X 262	8.96 SF
* *	35	922288-02	TRUNK DOOR ASSY - REAR	1 EA
* *	33	101315-02	BRACE VERTICAL REAR RH	1 EA
* *	32	101315-01	BRACE VERTICAL REAR LH	1 EA
* *	31	325005	RIVET 1/8 X 5/16 HARD	75 EA
* *	30	114813	ANGLE 1 X 1 1/2 X 1 1/4 W	4 EA
* *	29	386118	LABEL LP GAS TRI-WARNING	1 EA
* *	28	386150	LOGO AIRSTREAM BLK RSD LETTERS	1 EA
* *	27	325004-01	RIVET,ANODIZED CLEAR 1/8 X 1/2	300 EA
* *	26A		ALUM .040 X 12.00 X 29.00	2 EA
* *	26	114849-03	ALUM. SHT.,.060 26"W X 8' P.GRAY	4.83 SF
* *	25	512226	LIGHT-CLEARANCE LED AMBER #L04	2 EA
* *	22	365016	TAPE,FOAM-SCOTCHMOUNT-1/2 #4416	80 FT
* *	19			
* *	18A		ALUM .050 X 34.75 X 51.00	1 EA
* *	18	114880-307	ALUMINUM .050X51X318 MILL/PRECOAT	12.31 SF
* *	17	114895	SEGMENT #29	1 EA
* *	16	114894	SEGMENT #28	1 EA
* *	15	114891	SEGMENT #27	1 EA
* *	14	114890	SEGMENT #26	1 EA
* *	13	114893	SEGMENT #25 WB	1 EA
* *	12	114889	SEGMENT,CENTER RIGHT	1 EA
* *	11	114888	SEGMENT,CENTER LEFT	1 EA
* *	9	371348-03	WINDOW-FRONT W/SILVER HANDLES	1 EA
* *	8	104408	EXTR,Z RIB DIE NO. 240572	2.40 FT
* *	7	101315	BRACE VERTICAL REAR	2 EA
* *	6	114505-02	SUPPORT LOWER END RH	3 EA
* *	5	114505-01	SUPORT LOWER END SHELL LH	3 EA
* *	4	114677	LOWER WINDOW BOW	1 EA
* *	3	114678	UPPER WINDOW BOW	1 EA
* *	2	114676	FLOOR BOW, CAPTIVE EXTRUSION	1 EA
* *	1	114993	BOW STA 'D'	1 EA

ITEM	PART NUMBER	DESCRIPTION	QTY	UM
TOLERANCES ±				
NEXT ASS'Y				
TITLE	Airstream			
SCALE	DATE	DRAWING NUMBER	REV.	
1=8	3/2/06	921240	D	H


LET	DATE	P.C.R.	REVISION RECORD	BY
	11/10	E-00331	PRODUCTION RELEASE	DW
A	2/11	E-00331	ADDED ITEMS #40 & #41 TO B.O.M.	DW
B	1/12	T-02634	REV. CLEARANCE LT LDC. & TAILLIGHTS	KP
C	02/15	E-00562	RELOCATED MARKER LIGHTS	DB
D	07/15	E-00579	REMOVED ITEM 7,35,36 REV ITEM 18 ADDED ITEM 42,43	DB



* ANCHOR ITEM 25 TO FLOOR & CHASSIS DURING SHELL ATTACHMENT




DETAIL-A
(TYP 10 PLCS)




43	382181	GASKET-CLEARANCE LIGHT	3 EA
42	512860	LIGHT-CLEARANCE RED #L14-0099R	4 EA
41	114889	SEGMENT-CENTER RIGHT "BRIGHT"	1 EA
40	114888	SEGMENT-CENTER LEFT "BRIGHT"	1 EA
39	104837	ALUMINUM EXTRUSION, DRIP CAP	4.25 FT
38	345419	SCREW-#6 X 1" S.S. #410	4 EA
37	345418	SCREW-#6 X .75" S.S.	4 EA
36	203986-02	POCKET INNER TAILLIGHT RH	1 EA
35	203986-01	POCKET INNER TAILLIGHT LH	1 EA
34	115073-02	BRACKET CS TAILLIGHT INT	1 EA
33	115073-01	BRACKET RS TAILLIGHT INT	1 EA
32	115074	BRACKET CENTER TAILLIGHT - INT	2 EA
31	101315-02	BRACE VERTICAL REAR RH	1 EA
30	101315-01	BRACE VERTICAL REAR LH	1 EA
29	101041	EXTR,FRONT RFLOCKER -LOWER	4.00 FT
28	952929-02	TAILLIGHT ASSY- CS FC	1 EA
27	952929-01	TAILLIGHT ASSY-RS FC	1 EA
26	454858	ANGLE - 1.50" x 1.00" - GALVANIZED	1 EA
25	114813	ANGLE 1 x 1 1/2	0.50 FT
24	325005	RIVET 1/8 x 5/16 HARD	75 EA
23	500095	REFLECTOR,RED DBLNG OVAL	2 EA
22	325004-01	RIVET,ANDDIZED CLEAR 1/8 X 1/2	300 EA
21A		12.00 x 29.00	2 EA
21	114849-03	ALUM SHT .060 X 26" X 8" PEWTER	4.83 SF
20	381041-11	PLUG HEYCD BLACK 1.5" HOLE SIZ	2 EA
19	0230016	SNAP-IN PLASTIC BUSHING	7 EA
18	512227	LIGHT-CLEARANCE LED RED #L04-0	3 EA
17	365016	TAPE FOAM DUBL-KOTE - 1/2" #4416	80 FT
16	330031-03	RIVET DOME HEAD SSD64SSBS	30 EA
15	454711	GUSSET-REAR END SHELL PAN AM	10 EA
14	114894	SEGMENT #28 "BRIGHT"	1 EA
13	114891	SEGMENT #27 "BRIGHT"	1 EA
12	114890	SEGMENT #26 "BRIGHT"	1 EA
11	114893	SEGMENT-#25 WIDE BODY "BRIGHT"	1 EA
10	372089	WINDOW CORNER WRAP CS FRT, RS	1 EA
9	372088	WINDOW CORNER WRAP RS FRT, CS	1 EA
8	114895	SEGMENT #29 "BRIGHT"	1 EA
7	101315	BRACE VERTICAL REAR	2 EA
6	114505-02	SUPPORT LOWER END RH	1 EA
5	114505-01	SUPORT LOWER END SHELL LH	1 EA
4	114677	BOW LOWER WINDOW ALTERED	1 EA
3	114678	BOW UP WINDOW ALTERED	1 EA
2	114676	BOW FLOOR ALTERED	1 EA
1	114993	WELDMENT ZERO BOW "WB"	1 EA

ITEM	PART NUMBER	DESCRIPTION	QTY	UM
TOLERANCES ±	Airstream		DRAWN BY DW	
NEXT ASS'Y			APPROVED BY	
		FIRST USAGE: 25 FB EDDIE BAUER		
TITLE ASS'Y-END SHELL-HATCH DOOR				
SCALE 1=8	DATE 11/08/10	DRAWING NUMBER 923059	D	REV. D



NOTES:
 1/4-20x3
 BOLT, WASHER, NUT.
 1/4x2 SELF TAP.
 3/8-16x2 1/4 HX
 BOLT, NUT, WASHER,
 LOCK WASHER, HOLD
 DOWN PLATE.
 3/8-16x2 1/4 HX
 BOLT, WASHER, LOCK
 WASHER, NUT.




110871-02

LET	DATE	E.C.N.	REVISION RECORD	BY
	8/01	4821-S	PRODUCTION RELEASE	BS
A	10/09	T-2490	REV. ADD WB & NB NOTE & USAGE	BS

ADDED WB (WIDE BODY) AND NB (NARROW BODY)
NOTES AT FRONT AND REAR.

2010 USAGE: INTERNATIONAL 23D, 25FB, 27FB & 28
FLYING CLOUD 20, 23, 23FB, 25FB, 27FB & 30



ALL DRILLING AND BOLTING TO EMPLOY STANDARD
SAE GUIDELINES. ALL BOLTS INSTALLED FROM
OUTSIDE TO INSIDE OF UNIT.

9	300023-02	WASHER, HOLD DOWN-HOLE OFFSET	6	EA
8	350005	NUT 3/8-16 UNC HEX HD PLATED	8	EA
7	300072-06	WASHER, LOCK	8	EA
6	300052	WASHER, 3/8 ID 5/8 OD FLAT	8	EA
5	345034	SCREW HEX HD CAP 3/8-16X2-1/4	8	EA
4	345181	SCREW- 1/4-14 X 2" SELF TAPPING	8	EA
3	350004	NUT 1/4-20 BULK PLAIN STEEL SQ	16	EA
2	300005	WASHER PLAIN 1/4 ID	16	EA
1	345142	SCREW 1/4-20X3IN WELD	16	EA

ITEM	PART NUMBER	DESCRIPTION		QTY	UM
TOLERANCES ±		Airstream			DRAWN BY BS
NEXT ASS'Y					APPROVED BY
		PRODUCT LINE			SAFARI TRL.
TITLE FLOOR BOLT, FRONT-REAR					
SCALE NTS	DATE 08/28/01	DRAWING NUMBER 110871-02			B REV. A