

## SPECIFICATIONS

| Exterior Dimensions                 |           | Capacities                                            |
|-------------------------------------|-----------|-------------------------------------------------------|
| Small Bodied Models                 |           | Appliance - 1980                                      |
| Width                               | 86.5 in.  | Main Holding Tank — 25 Ft. 14 gal                     |
| Height (shell)                      | *98.3 in. | Main Holding Tank — 28 & 31 Ft. Rear Bath 20 gal      |
| Height (to closed vent)             | 101.0 in. | Main Holding Tank — 31 Ft. Center Bath 25 gal         |
| Height (vent open)                  | 103.3 in. | Main Holding Tank — Caravelle & Minuet 12 gal         |
| Height (top of T.V. antenna-folded) | 105.3 in. | Auxiliary Holding Tank — 25 Ft. 13 gal                |
| Height (top of air conditioner)     | 111.0 in. | Auxiliary Holding Tank — 28 & 31 Ft. Rear Bath 16 gal |
| Ground Clearance                    | 8.3 in.   | Auxiliary Holding Tank — Center Bath 25 gal           |
|                                     |           | Auxiliary Holding Tank — Caravelle & Minuet 15 gal    |
|                                     |           | Water Tank — 25, 28 & 31 Ft. Models 50 gal            |
|                                     |           | Water Tank — Caravelle & Minuet 28 gal                |
|                                     |           | Water Heater — All 6 gal                              |

\*Add 3" to figures for height on 25K models.

| Exterior Dimensions              |           | Appliance - 1981                                        |
|----------------------------------|-----------|---------------------------------------------------------|
| Large Bodied Model               |           |                                                         |
| Width                            | 95.5 in.  | Main Holding Tank — 20, 22, 24 & 25' 12 gal             |
| Height (shell)                   | 101.3 in. | Main Holding Tank — 27 & 31', Int. 16 gal               |
| Height (to closed vent)          | 103.0 in. | Main Holding Tank — 27 & 31' Rear Bath, Excella 16 gal  |
| Height (vent open)               | 106.8 in. | Main Holding Tank — 31' Center Bath, Excella 25 gal     |
| Height (top of antenna - folded) | 108.3 in. | Auxiliary Holding Tank — 20, 22, 24 & 25" 15 gal        |
| Height (top of air conditioner)  | 115.5 in. | Auxiliary Holding Tank — 27 & 31', Int. 20 gal          |
| Ground Clearance                 | 8.5 in.   | Auxiliary Holding Tank — 27 & 31' Rear Bath, Ex. 20 gal |
|                                  |           | Auxiliary Holding Tank — 31' Center Bath, Ex. 25 gal    |
|                                  |           | Water tank — 20, 22, & 24' 28 gal                       |
|                                  |           | Water tank — 25' 35 gal                                 |
|                                  |           | Water tank — 27 & 31' Int. & Excella 5 gal              |

Specifications listed herein are those which are designed to be in your trailer. There may be some small differences in the capacities of individual trailers.


| MODEL                | Gross Vehicle<br>Weight Rating<br>G.V.W.R. | Factory Weight<br>without Options<br>or Variable<br>Weight | Allow. Add'l<br>Total Weight<br>(Incl. Personal<br>Cargo)* | Gross Axle<br>Weight Rating<br>G.A.W.R.<br>(Axle System) | Factory Axle<br>Weight<br>(Axle System) | Allowable<br>Additional<br>Weight<br>(Axle System) | Factory Tongue<br>Weight Without<br>Options or<br>Variable Wgt. |
|----------------------|--------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------|----------------------------------------------------|-----------------------------------------------------------------|
| 20 International     | 3700                                       | 2700                                                       | 1000                                                       | 3200                                                     | 2340                                    | 860                                                | 360                                                             |
| 20D Excella II       |                                            | 2780                                                       | 920                                                        |                                                          | 2400                                    | 800                                                | 380                                                             |
| 22F International    | 4200                                       | 3200                                                       | 1000                                                       | 3700                                                     | 2850                                    | 850                                                | 350                                                             |
| 22F Excella II       |                                            | 3280                                                       | 920                                                        |                                                          | 2910                                    | 790                                                | 370                                                             |
| 24T&D International  | 4500                                       | 3300                                                       | 1200                                                       | 4000                                                     | 2900                                    | 1100                                               | 400                                                             |
| 24T&D Excella II     |                                            | 3380                                                       | 1120                                                       |                                                          | 2960                                    | 1040                                               | 420                                                             |
| 25K International    | 5000                                       | 3600                                                       | 1400                                                       | 4400                                                     | 3125                                    | 1275                                               | 475                                                             |
| 25K Excella II       |                                            | 3720                                                       | 1280                                                       |                                                          | 3230                                    | 1170                                               | 490                                                             |
| 27T&D International  | 6200                                       | 4230                                                       | 1970                                                       | 5600                                                     | 3740                                    | 1860                                               | 490                                                             |
| 27T&D Excella II     |                                            | 4500                                                       | 1700                                                       | 5600                                                     | 3910                                    | 1690                                               | 590                                                             |
| 27T&D Limited        | 7100                                       | 4980                                                       | 2120                                                       | 6400                                                     | 4280                                    | 2120                                               | 700                                                             |
| 31 T&D International | 7100                                       | 4630                                                       | 2470                                                       | 6400                                                     | 4030                                    | 2370                                               | 600                                                             |
| 31 T&D Excella II    |                                            | 4900                                                       | 2200                                                       | 6400                                                     | 4250                                    | 2150                                               | 650                                                             |
| 31 T&D Limited       | 8500                                       | 5500                                                       | 3000                                                       | 8000                                                     | 4780                                    | 3220                                               | 720                                                             |
| 31 A&B International | 7100                                       | 4680                                                       | 2420                                                       | 6400                                                     | 4100                                    | 2300                                               | 580                                                             |
| 31 A&B Excella II    |                                            | 4950                                                       | 2150                                                       | 6400                                                     | 4350                                    | 2050                                               | 600                                                             |
| 31 A&B Limited       | 8500                                       | 5550                                                       | 2950                                                       | 8000                                                     | 4825                                    | 3175                                               | 725                                                             |

\*Allowable additional weight includes all options and accessories, L.P.G., water, waste, food supplies, clothing, or other personal cargo, etc.

9-30-80  
Product Engineering


# Floor Plans

20 Ft.




| No. | Description                         | Page No. |
|-----|-------------------------------------|----------|
| 1.  | Water inlet-city                    | 83       |
| 2.  | 120 volt circuit breaker panel      | 90       |
| 3.  | Waste outlet                        | 86       |
| 4.  | Water heater                        | 82       |
| 5.  | Air conditioner (optional)          | 62-65    |
| 6.  | Water pump                          | 83       |
| 7.  | Battery                             | 91       |
| 8.  | 12 volt distribution panel          | 106      |
| 9.  | Univolt                             | 89       |
| 10. | Water inlet-tank                    | 83       |
| 11. | Electrical inlet-city               | 89       |
| 12. | Toilet                              | 87-88    |
| 13. | Range exhaust hood (optional)       | 78       |
| 14. | Furnace                             | 79       |
| 15. | Range and oven                      | 77       |
| 16. | Sink                                | 65       |
| 17. | Refrigerator                        | 71       |
| 18. | Monitor II control panel (optional) | 108      |
| 19. | Table                               | 58       |
| 20. | L.P.G. tanks and regulator          | 69       |
| 21. | Hitch                               | 25       |


22 Ft.



24 Ft. Twin and Double - Caravelle, Minuet




25 Ft. - 1981 - Front Kitchen




| No. | Description                         | Page No. |
|-----|-------------------------------------|----------|
| 1.  | Water inlet-city                    | 83       |
| 2.  | 120 volt circuit breaker panel      | 90       |
| 3.  | Waste outlet                        | 86       |
| 4.  | Refrigerator                        | 71       |
| 5.  | Air conditioner (optional)          | 62-65    |
| 6.  | Water heater                        | 82       |
| 7.  | Univolt                             | 89       |
| 8.  | Battery                             | 91       |
| 9.  | 12 volt distribution panel          | 106      |
| 10. | Water pump                          | 83       |
| 11. | Water inlet-tank                    | 83       |
| 12. | Electrical inlet-city               | 89       |
| 13. | Toilet                              | 87-88    |
| 14. | Furnace                             | 79       |
| 15. | Sink                                | 65       |
| 16. | Range exhaust hood (optional)       | 78       |
| 17. | Range and oven                      | 77       |
| 18. | Monitor II control panel (optional) | 108      |
| 19. | Table                               | 58       |
| 20. | L.P.G. tanks and regulator          | 69       |
| 21. | Hitch                               | 25       |
| 22. | Bed light                           | 66       |
| 23. | Digital clock (optional)            | 60       |
| 24. | Power brake booster (optional)      | 10       |
| 25. | Water filter                        | 84       |
| 26. | Stereo AM/FM radio/tape (optional)  | 61       |
| 27. | "L" nge                             | —        |

25 Ft. Twin (Rear Bath) - Excella II




25 Ft. Double (Rear Bath) - Excella II




| No. | Description                              | Page No. |
|-----|------------------------------------------|----------|
| 1.  | Waste outlet                             | 86       |
| 2.  | Water inlet-city                         | 83       |
| 3.  | Water pump                               | 83       |
| 4.  | Water heater                             | 82       |
| 5.  | Bed light                                | 66       |
| 6.  | Water inlet-tank                         | 83       |
| 7.  | Range and oven                           | 77       |
| 8.  | Water filter                             | 84       |
| 9.  | Sink                                     | 65       |
| 10. | Furnace                                  | 79       |
| 11. | Stereo AM/FM radio/tape (optional)       | 61       |
| 12. | Front lounge                             | 57       |
| 13. | Battery                                  | 91       |
| 14. | Univolt                                  | 89       |
| 15. | 12 volt distribution panel               | 107      |
| 16. | Electrical inlet-city                    | 89       |
| 17. | 120 volt circuit breaker panel           | 90       |
| 18. | Toilet                                   | 87-88    |
| 19. | Air conditioner (optional)               | 62-65    |
| 20. | Central control panel w/clock (optional) | 109      |
| 21. | Refrigerator                             | 71       |
| 22. | Table                                    | 58       |
| 23. | Power brake booster (optional)           | 10       |
| 24. | L.P.G. tanks and regulator               | 69       |
| 25. | Hitch                                    | 25       |

28 Ft. Twin (Rear Bath) - Excella II



| No. | Description                              | Page No. |
|-----|------------------------------------------|----------|
| 1.  | Electrical inlet-city                    | 89       |
| 2.  | Waste outlet                             | 86       |
| 3.  | Water inlet-city                         | 83       |
| 4.  | Toilet                                   | 87-88    |
| 5.  | Water heater                             | 82       |
| 6.  | Water pump                               | 83       |
| 7.  | Bed light                                | 66       |
| 8.  | Water inlet-tank                         | 83       |
| 9.  | Central control panel w/clock (optional) | 109      |
| 10. | Refrigerator                             | 71       |
| 11. | Front Lounge                             | 57       |
| 12. | Table                                    | 58       |
| 13. | Univolt                                  | 89       |
| 14. | Stereo AM/FM radio/tape (optional)       | 61       |
| 15. | Battery                                  | 91       |
| 16. | 12 volt distribution panel               | 107      |
| 17. | 120 volt circuit breaker panel           | 90       |
| 18. | Air conditioner (optional)               | 62-65    |
| 19. | Sink                                     | 65       |
| 20. | Water filter                             | 84       |
| 21. | Range and oven                           | 77       |
| 22. | Furnace                                  | 79       |
| 23. | Power brake booster (optional)           | 10       |
| 24. | L.P.G. tanks and regulator               | 69       |
| 25. | Hitch                                    | 25       |


28 Ft. Double (Rear Bath) - Excella II




|     |                                          |
|-----|------------------------------------------|
| 1.  | Electrical inlet-city                    |
| 2.  | Water inlet-city                         |
| 3.  | 120 volt circuit breaker panel           |
| 4.  | Waste outlet                             |
| 5.  | Water pump                               |
| 6.  | Water inlet-tank                         |
| 7.  | Central control panel w/clock (optional) |
| 8.  | Refrigerator                             |
| 9.  | Front Lounge                             |
| 10. | Table                                    |
| 11. | Univolt                                  |
| 12. | Stereo AM/FM radio/tape (optional)       |
| 13. | Battery                                  |
| 14. | 12 volt distribution panel               |
| 15. | Toilet                                   |
| 16. | Water heater                             |
| 17. | Air conditioner (optional)               |
| 18. | Sink                                     |
| 19. | Water filter                             |
| 20. | Range and oven                           |
| 21. | Furnace                                  |
| 22. | Power brake booster (optional)           |
| 23. | L.P.G. tanks and regulator               |
| 24. | Hitch                                    |

# 31 Ft. Twin (Center Bath) - Excella II

| No. | Description                               | Page No. |
|-----|-------------------------------------------|----------|
| 1.  | Electrical inlet-city                     | 89       |
| 2.  | Water inlet-city                          | 83       |
| 3.  | 120 volt circuit breaker panel            | 90       |
| 4.  | Waste outlet                              | 86       |
| 5.  | Water pump                                | 83       |
| 6.  | Water inlet-tank                          | 83       |
| 7.  | Central control panel w/ clock (optional) | 109      |
| 8.  | Refrigerator                              | 71       |
| 9.  | Front Lounge                              | 57       |
| 10. | Table                                     | 58       |
| 11. | Univolt                                   | 89       |
| 12. | Stereo AM/FM radio/tape (optional)        | 61       |
| 13. | Battery                                   | 91       |
| 14. | 12 volt distribution panel                | 107      |
| 15. | Toilet                                    | 87-88    |
| 16. | Water heater                              | 82       |
| 17. | Air conditioner (optional)                | 62-65    |
| 18. | Sink                                      | 65       |
| 19. | Water filter                              | 84       |
| 20. | Range and oven                            | 77       |
| 21. | Furnace                                   | 79       |
| 22. | Power brake booster (optional)            | 10       |
| 23. | L.P.G. tanks and regulator                | 69       |
| 24. | Hitch                                     | 25       |




# 31 Ft. Double (Center Bath) - Excella II




| No. | Description                              | Page No. |
|-----|------------------------------------------|----------|
| 1.  | Waste outlet                             | 86       |
| 2.  | Electrical inlet-city                    | 89       |
| 3.  | Water inlet-city                         | 83       |
| 4.  | Toilet                                   | 87-88    |
| 5.  | Water heater                             | 82       |
| 6.  | Water pump                               | 83       |
| 7.  | Bed light                                | 66       |
| 8.  | Water inlet-tank                         | 83       |
| 9.  | Central control panel w/clock (optional) | 109      |
| 10. | Refrigerator                             | 71       |
| 11. | Front Lounge                             | 57       |
| 12. | Table                                    | 58       |
| 13. | Univolt                                  | 89       |
| 14. | Stereo AM/FM radio/tape (optional)       | 61       |
| 15. | Battery                                  | 91       |
| 16. | 12 volt distribution panel               | 107      |
| 17. | 120 volt circuit breaker panel           | 90       |
| 18. | Air conditioner (optional)               | 62-65    |
| 19. | Sink                                     | 65       |
| 20. | Water filter                             | 84       |
| 21. | Range and oven                           | 77       |
| 22. | Furnace                                  | 79       |
| 23. | Power brake booster (optional)           | 10       |
| 24. | L.P.G. tanks and regulator               | 69       |
| 25. | Hitch                                    | 25       |

31 Ft. Twin and Double (Rear Bath) - Excella II



27 Ft. - 1981 Twin and Double (Rear Bath)



| No. | Description                      |
|-----|----------------------------------|
| 1.  | Waste outlet                     |
| 2.  | Water inlet-city                 |
| 3.  | Water pump                       |
| 4.  | Water heater                     |
| 5.  | Bed light                        |
| 6.  | Water inlet-tank                 |
| 7.  | Range and oven                   |
| 8.  | Water filter (optional)          |
| 9.  | Sink                             |
| 10. | Furnace                          |
| 11. | Stereo AM/FM radio/tape (opt)    |
| 12. | Front Lounge                     |
| 13. | Battery                          |
| 14. | Univolt                          |
| 15. | 12 volt distribution panel       |
| 16. | Electrical inlet-city            |
| 17. | 120 volt circuit breaker panel   |
| 18. | Toilet                           |
| 19. | Air conditioner (optional)       |
| 20. | Central control panel (optional) |
| 21. | Refrigerator                     |
| 22. | Table                            |
| 23. | Digital clock (optional)         |
| 24. | Power brake booster (optional)   |
| 25. | L.P.G. tanks and regulator       |
| 26. | Hitch                            |